

Kräus®

ULTIMATE COMBINATIONS 2015



Ultimate Kitchen Combinations

KRAUS INTRODUCES NEW ULTIMATE COMBINATIONS

Outfit any kitchen in seamless style

10/2015 • Port Washington, NY

We've made it easy to create a coordinated kitchen with the Ultimate Combination, featuring restaurant-style stainless steel sinks paired with easy-to-install DIY faucets.

For seamless style, these combinations include a primary sink and bar/prep basin from the Pax™ Zero-Radius Series. The sinks have clean, geometric designs and precise zero-radius corners for a distinctively modern look. Both models are handcrafted from premium T-304 stainless steel, an extra-tough material highly valued in the restaurant industry for its durability. Each sink is soundproofed with our innovative NoiseDefend™ technology, for a quieter kitchen experience. Complementary accessories, including square 4.5" x 4.5" strainers and stainless steel dish grids with soft protective bumpers, ensure the perfect fit for your sinks in both size and style.

These combinations also feature our new DIY Series of kitchen faucets, designed with a QuickDock mounting assembly for exceptionally easy top-mount installation. This innovative feature eliminates the need to secure parts underneath the sink, and allows you to install the faucet into a drop-in base from above the counter in a matter of minutes. The combos also include a matching soap dispenser that swivels 360° for maximum reach, making it easy to create a kitchen workstation with coordinated style.

Make a bold statement with the Ultimate Kitchen Combination, and experience Kraus Quality at its very best.

About Kraus USA: Headquartered in NY, with distribution facilities worldwide, Kraus USA has been operating for over 8 years with one simple mission: To bring the best to our customers, exceeding expectations when it comes to quality, style, and value. With Kraus, you get more for your money than just beautiful and durable kitchen & bath fixtures. You get a reliable, consumer-focused experience, from selection to installation, to care & maintenance, and beyond. Learn more about us at www.kraususa.com

© 2015 Kraus USA Inc. All rights reserved.





Ultimate Kitchen Combinations

Make a bold statement with the Kraus Ultimate Kitchen Combination. For seamless style, all combinations feature restaurant-quality stainless steel primary sinks and bar/prep basins paired with easy-to-install DIY faucets. Every sink is handcrafted from premium T-304 stainless steel, and soundproofed with innovative NoiseDefend™ technology. Coordinating accessories are included to ensure the perfect fit in both size and style, including square 4.5" x 4.5" strainers and stainless steel dish grids with soft protective bumpers. For exceptionally easy top-mount installation, the faucets are designed with a QuickDock mounting assembly. This innovative feature allows you to install the faucet from above the counter, eliminating the need to secure it underneath the sink. Top-quality faucet components ensure lasting value and superior performance; technology highlights

include an ultra-durable Kerox ceramic cartridge and a best-in-industry Neoperl aerator. The combinations come with matching soap dispensers that are refillable from above, and swivel 360° for maximum reach.

Make a bold statement with the Ultimate Kitchen Combination, and experience Kraus Quality at its very best.

Mateo™ Series Kitchen Faucets



KPF-2630

KSD-41

KPF-2600

Crespo™ Series Kitchen Faucets



KPF-2720


KSD-42

KPF-2700


Pax™ Zero Radius Series Stainless Steel Sinks



KHU32



KHU19



Included With Purchase



Kraus
Where Creativity is Endless

COLOR PALETTE

- White
- Dark Grey
- Light Grey
- Green

Ultimate Kitchen Combo

KH032 KPF-2720 KHU19 KPF-2700

© 2015 Kraus USA Inc. All rights reserved.



Kraus
Where Creativity is Endless

Mateo™ Series
Kitchen Faucets

4 DISTINCTIVE STYLES

KPF-2630 KPF-2600 KPF-2610 KPF-2620

2 FLAWLESS FINISHES

© 2015 Kraus USA Inc. All rights reserved.



Kraus
Where Creativity is Endless


Crespo™ Series
Kitchen Faucets

3 DISTINCTIVE STYLES

KPF-2730 KPF-2700 KPF-2720


2 FLAWLESS FINISHES

© 2015 Kraus USA Inc. All rights reserved.



Easy DIY Installation

QuickDock Technology



QuickDock®

Simple & secure above-sink mounting

- 1 Drop in Base
- 2 Secure Base
- 3 Drop in Faucet
- 4 Secure Faucet to Base & Connect Waterlines



Note: This is an overview of the QuickDock process, and should not be used as a guide for installation. For installation instructions, please see the manual included with your faucet.

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Kitchen Faucet

Commercial Style Kitchen Faucet / KPF-2630CH



- All-Metal Body & Handle for Maximum Durability
- Commercial-Style Heavy-Duty Spring Design
- Superior Finish Corrosion & Rust-Resistant
- Spout Swivels For Complete Sink Access
- Dual-Function Sprayer w/ Spray & Stream Button
- Single-Lever Design For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)

DIY



QuickDock® Easy DIY Top Mount Installation

CALGreen		360°		LIMITED
Water-Efficient Model w/ 1.75 gpm	Long Life Ceramic Cartridge	SPRAYING RANGE	For Complete Access	LIFETIME WARRANTY
			Dual Function Spray Head	Experience Kerox Quality

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Technologies

Commercial Style Kitchen Faucet / KPF-2630



- PerfectArc Spout**
Aligns spout and keeps sprayhead in place for optimal balance of faucet body
- Dual-Function Sprayer w/ Silicone Nozzles**
Ergonomic sprayhead switches between spray & stream w/ silicone nozzles that prevent hard water build-up and limescale
- Kerox Cartridge**
Top-quality Kerox ceramic cartridge (tested w/ 500,000 cycles) for lasting functionality
- Neoperl SPX Softpex Hoses**
Easy to install, durable, and ultra-hygienic flexible hoses for superior performance

© 2015 Kraus USA Inc. All rights reserved.

Kräus
Where Creativity is Endless

Mateo™ Series Kitchen Faucet

Bar-Prep Faucet / KPF-2600CH



- High-Arch Spout Provides Maximum Sink Space
- All-Metal Body & Handle For Maximum Durability
- Superior Finish Corrosion & Rust-Resistant
- Coordinates With All Bar Sinks
- Spout Swivels For Complete Sink Access
- Single-Lever Design For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)

DIY

QuickDock® Easy DIY Top Mount Installation



CALGreen		360° Swivel Range	LIMITED LIFETIME WARRANTY
Water Efficient Model w/ 1.5 gpm	Long Life Ceramic Cartridge	For Complete Access	Experience Kraus Quality

© 2015 Kraus USA Inc. All rights reserved.

Kräus
Where Creativity is Endless

Mateo™ Series Technologies

Bar-Prep Kitchen Faucet / KPF-2600



- Neoperl PERLATOR® Honeycomb Aerator w/ Silicone Nozzles**
Aerated Stream w/ Quiet Splash-Free Flow Control. Anti-Clogging Dome Screen Filters Sediments and Particles
- 360° Swivel Spout**
Swiveling faucet body provides maximum sink access
- Kerox Cartridge**
Top quality Kerox ceramic cartridge (tested w/ 500,000 cycles) for lasting functionality
- Neoperl SPX 24" Integrated Softpex Supply Hoses**
Easy to install, durable, and ultra-hygienic flexible hoses for superior performance

© 2015 Kraus USA Inc. All rights reserved.

Kräus
Where Creativity is Endless

Crespo™ Series Kitchen Faucet

Pull Down Kitchen Faucet / KPF-2720CH



- All-Metal Body & Handle for Maximum Durability
- GlideAssure® High-Arch Spout Designed for Effortless Operation & Quick Hose Retraction
- Superior Finish Corrosion & Rust-Resistant
- Ergonomic Dual-Function Sprayer w/ Spray & Stream Button
- Single-Lever Design For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)

DIY

QuickDock® Easy DIY Top Mount Installation



CALGreen		360° Swivel Range	LIMITED LIFETIME WARRANTY
Water Efficient Model w/ 1.27 gpm	Long Life Ceramic Cartridge	For Complete Access	Dual Function Spray Head
			Experience Kraus Quality

© 2015 Kraus USA Inc. All rights reserved.



Crespo™ Series Technologies

Pull-Down Kitchen Faucet / KPF-2720



- GlideAssure® Faucet Body**
Designed for effortless operation and quick hose retraction
- Neoperl GlideFlex Hose**
Smooth, kink-free hose for optimal performance, marked for proper weight placement
- Super-Swivel Connector**
For additional flexibility and maximum range of motion
- EZ ConX Assembly**
Simple and reliable connection for supply lines
- Neoperl SPX 24" Integrated Softpex Supply Hoses**
Easy to install, durable, and ultra-hygienic flexible hoses for superior performance.
- SecureConX Counterweight**
Ergonomic snap-on weight for easy one-hand installation w/ no tools required

© 2015 Kraus USA Inc. All rights reserved.



Crespo™ Series Kitchen Faucet

Bar-Prep Faucet / KPF-2700CH



- All-Metal Body & Handle**
For Maximum Durability
- High-Arch Spout**
Provides Maximum Sink Space
- Superior Finish**
Corrosion & Rust-Resistant
- Coordinates**
With All Bar Sinks
- Single-Lever Design**
For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge**
(tested w/ 500,000 cycles)

DIY
QuickDock®
Easy DIY Top Mount Installation

Water-Efficient Model w/ 1.5 gpm	Long-Life Ceramic Cartridge	360° Swivel Range	LIMITED LIFETIME WARRANTY
--	------------------------------------	-----------------------------	----------------------------------

© 2015 Kraus USA Inc. All rights reserved.




Crespo™ Series Technologies

Bar-Prep Faucet / KPF-2700




- Neoperl PERLATOR® Honeycomb Aerator w/ Silicone Nozzles**
Aerated Stream w/ Quiet Splash-Free Flow Control. Anti-Clogging Dome Screen Filters Sediments and Particles
- 360° Swivel Spout**
Swiveling faucet body provides maximum sink access
- Kerox Cartridge**
Top-quality Kerox ceramic cartridge (tested w/ 500,000 cycles) for lasting functionality
- Neoperl SPX 24" Integrated Softpex Supply Hoses**
Easy to install, durable, and ultra-hygienic flexible hoses for superior performance

© 2015 Kraus USA Inc. All rights reserved.



PAX™ Zero-Radius Series


Model #: KHU32 Dimensions: 31 1/2" x 18 1/2" x 10"



- Premium T-304 Stainless Steel Construction
- Durable 16G Steel For a Stronger Kitchen Sink
- Commercial-Grade Finish Scratch & Stain-Resistant
- 95° Angled Walls For Easy Cleaning
- Modern Square Drain 3.5" x 3.5" Rear Set Drain Opening
- Channel Grooves Engineered for Optimal Drainage
- Zero-Radius Corners For a Clean & Modern Look


HANDMADE ARTISANS	4x SOUND DAMPENING	16G THICK STEEL	PREMIUM GRADE T-304	LIMITED LIFETIME WARRANTY
Uniquely Hand-Crafted By Artisans	NoiseDefend™ Sound Dampening System	Durable 1.5mm Steel Construction	18% Chromium / 0% Nickel Composition	Experience Kraus Quality

© 2015 Kraus USA Inc. All rights reserved.



PAX™ Zero-Radius Series

Model #: KHU19 Dimensions: 18 1/2" x 18 1/2" x 10"



- Premium T-304 Stainless Steel Construction
- Durable 18G Steel For a Sturdy Kitchen Sink
- Commercial-Grade Finish Scratch & Stain-Resistant
- 95° Angled Walls For Easy Cleaning
- Modern Square Drain 3.5" x 3.5" Rear Set Drain Opening
- Channel Grooves Engineered for Optimal Drainage
- Zero-Radius Corners For a Clean & Modern Look

HANDMADE ARTISANS	4x SOUND DAMPENING	18G THICK STEEL	PREMIUM GRADE T-304	LIMITED LIFETIME WARRANTY
Uniquely Hand-Crafted By Artisans	NoiseDefend™ Sound Dampening System	Durable 1.2mm Steel Construction	18% Chromium / 0% Nickel Composition	Experience Kraus Quality

© 2015 Kraus USA Inc. All rights reserved.



NoiseDefend™ Soundproofing

For a Quieter Kitchen Sink



- Top Quality Soundproofing**
Thick rubber dampening pads absorb vibration and noise, ensuring quieter use.
- Protective Undercoating**
Commercial-grade non-toxic undercoating provides extra soundproofing and prevents condensation buildup in the base cabinet.

80 Rubber Dampening Pads Cover up to 80% of Sink Surface

(3mm) Pads
(2mm) Pads

“The sound deadening throughout the backside of the sink is very thick and helps keep the noise of the sink to a minimum, even during use of the garbage disposal.”
- Adam

© 2015 Kraus USA Inc. All rights reserved.

Kräus
Where Creativity is Endless

Ultimate Combo: Maximum-Capacity Basins

Model #: KHU19 Size: 18.5" X 18.5" X 10"
Model #: KHU32 Size: 31.5" X 18.5" X 10"

Kräus
Where Creativity is Endless

Sink Mounting Options
Kraus Handmade and Farmhouse Kitchen Sinks

3/8" Positive Reveal
Sink edge extends 3/8" past countertop. Sink rim is exposed on all sides

Zero Reveal / Flush-Mount
Sink edge is completely flush w/ countertop. Sink rim is covered on all sides

1/8" Negative Reveal
Countertop extends 1/8" past sink edge, and overlaps sink rim on all sides

Note: Installation requirements may vary based on countertop material - contact your fabricator for details. Templates are provided as a reference. Use the actual sink to create guidelines for a more accurate cutout.

© 2015 Kraus USA Inc. All rights reserved.

Kräus
Where Creativity is Endless

PAX™ Zero-Radius Series
6 Step Installation Process

Step 1
Determine Reveal Type

Step 2
Trace Template

Step 3
Cut Sink Hole

Step 4
Mark Mounting Holes on Counter

Step 5
Drill Mounting Holes & Install Anchors

Step 6
Apply Adhesive & Fasten Sink to Counter w/ Mounting Hardware

© 2015 Kraus USA Inc. All rights reserved.



Best-in-Industry Packaging

Protects Against Damage in Transit



- 1 Cardboard Box**
Extra-Tough 5-Ply Corrugated Carton
Adds An Extra Layer of Protection For the Sink
- 2 Polystyrene Foam**
Absorbs Shock & Vibration to Protect against Damage
Custom-Molded to Cushion Sink against Impact
Stops Sink From Shifting in Package to Prevent Scratches & Scuffs
- 3 Non-Woven Cloth Bag**
Flexible & Water-Resistant Material

“Sink is well packaged and also comes in a big cloth bag along with a nice dish towel and spare rubber feet for the rack! Could not be happier!”
- Leo B

© 2015 Kraus USA Inc. All rights reserved.



Garbage Disposal Adapter

Sold Separately / Coordinates w/ Kraus PAX™ Series Sinks



Kraus Exclusive / Model #: GDA-1
Dimensions: 4.5" x 4.5"

- Premium Stainless Steel Construction**
For Maximum Durability
- TYPE 304**
- Included w/ Adapter:** Disposal Flange & Stopper
- Square Adapter** Fits Standard Garbage Disposals

© 2015 Kraus USA Inc. All rights reserved.



Accessories Included


with Your Purchase



Kraus Exclusive Square Stainless Steel Drain Assembly
Model #: ST-3 / Dimensions: 4.5" x 4.5"


 <p>Model #: KBG-H32 Stainless Steel Dish Grid</p>	 <p>Model #: ST-3 Square Stainless Steel Drain Assembly</p>	 <p>Mounting Hardware</p>
--	---	---

© 2015 Kraus USA Inc. All rights reserved.



Easy DIY Installation


QuickDock Technology



QuickDock®

Simple & secure above-sink mounting

- 1 Drop in Base
- 2 Secure Base
- 3 Drop in Faucet
- 4 Secure Faucet to Base & Connect Waterlines



Note: This is an overview of the QuickDock process, and should not be used as a guide for installation. For installation instructions, please see the manual included with your faucet.

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Kitchen Faucet

Commercial Style Kitchen Faucet / KPF-2630CH



- All-Metal Body & Handle for Maximum Durability
- Commercial-Style Heavy-Duty Spring Design
- Superior Finish Corrosion & Rust-Resistant
- Spout Swivels For Complete Sink Access
- Dual-Function Sprayer w/ Spray & Stream Button
- Single-Lever Design For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)

DIY



QuickDock®
Easy DIY Top Mount Installation

 Water-Efficient Model w/ 1.75 gpm	 Long Life Ceramic Cartridge	 360° SWIVELING SPOUT For Complete Access	 Dual Function Spray Head	 LIMITED LIFETIME WARRANTY Experience Kraus Quality
---	--	---	---	---

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Technologies

Commercial Style Kitchen Faucet / KPF-2630



- PerfectArc Spout**
Aligns spout and keeps sprayhead in place for optimal balance of faucet body
- Dual-Function Sprayer w/ Silicone Nozzles**
Ergonomic sprayhead switches between spray & stream w/ silicone nozzles that prevent hard water build-up and limescale
- Kerox Cartridge**
Top-quality Kerox ceramic cartridge (tested w/ 500,000 cycles) for lasting functionality
- Neoperl SPX Softpex Hoses**
Easy to install, durable, and ultra-hygienic flexible hoses for superior performance

© 2015 Kraus USA Inc. All rights reserved.



Easy DIY Installation

QuickDock Technology



QuickDock®

Simple & secure above-sink mounting

- 1 Drop in Base
- 2 Secure Base
- 3 Drop in Faucet
- 4 Secure Faucet to Base & Connect Waterlines



Note: This is an overview of the QuickDock process, and should not be used as a guide for installation. For installation instructions, please see the manual included with your faucet.

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Kitchen Faucet

Commercial Style Kitchen Faucet / KPF-2630CH



- All-Metal Body & Handle**
for Maximum Durability
- Commercial-Style**
Heavy-Duty Spring Design
- Superior Finish**
Corrosion & Rust-Resistant
- Spout Swivels**
For Complete Sink Access
- Dual-Function Sprayer**
w/ Spray & Stream Button
- Single-Lever Design**
For Effortless Temperature & Flow Control
- Kerox Ceramic Cartridge**
(tested w/ 500,000 cycles)

DIY





Water Efficient
Model w/
1.75 gpm



Long Life
Ceramic
Cartridge

360°
SPRINKLING
ANGLE

For
Complete
Access




Dual
Function
Spray Head

LIMITED
LIFETIME
WARRANTY

Experience
Kraus
Quality

© 2015 Kraus USA Inc. All rights reserved.



Mateo™ Series Technologies

Commercial Style Kitchen Faucet / KPF-2630



- PerfectArc Spout**
Aligns spout and keeps sprayhead in place for optimal balanced faucet body
- Dual-Function Sprayer w/ Silicone Nozzles**
Ergonomic sprayhead switches between spray & stream w/ silicone nozzles that prevent hard water build-up and limescale
- Kerox Cartridge**
Top-quality Kerox ceramic cartridge (tested w/ 500,000 cycles) for lasting functionality
- Neoperl SPX Softpex Hoses**
Easy to install, durable and ultra-hygienic flexible hoses for superior performance

© 2015 Kraus USA Inc. All rights reserved.

Crespo™ Single Lever Pull-Down Kitchen Faucet

KPF-2720



Features:

- Brass Body w/ Metal Handle for Maximum Durability
- Easy DIY Top Mount Installation w/ Drop-In Base
- Single-Lever Design for Effortless Temperature & Flow Control
- High-Arch Spout Swivels 360° for Complete Sink Access
- Dual-Function Pull-Down Spray & Stream Sprayer w/ Swivel Adaptor
- Retractable Neoperl EZGlide Hose w/ Snap-on Counterweight
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)
- High Performance / Low Flow Neoperl Aerator w/ Easy-Clean
- Rubber Nozzles to Prevent Hard Water Build-Up
- Superior Corrosion & Rust-Resistant Finish
- Coordinates w/ the Crespo™ Bar/Prep Faucet

Dimensions:

- | | |
|---------------------------|---|
| Faucet Height: 16-1/4" | Flow Rate: 1.75gpm 6.6L/Min @ 60 Psi |
| Aerator Clearance: 8-1/4" | Faucet Hole Size Requirement: 1-3/8" – 1-1/2" |
| Handle Clearance: 1-1/2" | Number Of Holes Required: 1–3 (Optional Deck Plate) |
| Spout Reach: 8-3/8" | Maximum Deck Thickness w/ Deck Plate: 1" |
| Spout Swivel: 360° | Maximum Deck Thickness w/o Deck Plate: 1-1/2" |

Codes/Standards:


cUPC (UPC&CSA), NSF 61, NSF 372, AB1953, EPA, CALGreen, MASS, FTC, DOE, CEC and ADA

Limited Lifetime Warranty



Crespo™ Single Lever Kitchen Bar / Prep Faucet

KPF-2700



Features:

- Brass Body w/ Metal Handle for Maximum Durability
- Easy DIY Top Mount Installation w/ Drop-In Base
- Single-Lever Design for Effortless Temperature & Flow Control
- Faucet Swivels 360° for Complete Sink Access
- High Performance / Low Flow Neoperl Aerator
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)
- Superior Corrosion & Rust-Resistant Finish
- Coordinates with All Bar Sinks & Crespo™ Series Kitchen Faucets

Dimensions:

- | | |
|---------------------------|---|
| Faucet Height: 13-1/4" | Flow Rate: 1.5gpm 5.7L/Min @ 60 Psi |
| Aerator Clearance: 9-1/8" | Faucet Hole Size Requirement: 1-3/8" – 1-1/2" |
| Handle Clearance: 1-1/2" | Number Of Holes Required: 1 |
| Spout Reach: 5-15/16" | Maximum Deck Thickness: 1-1/2" |
| Spout Swivel: 360° | |

Codes/Standards:

cUPC (UPC&CSA), NSF 61, NSF 372, AB1953, EPA, CALGreen, MASS, FTC, DOE, CEC and ADA

Limited Lifetime Warranty



Mateo™ Single Lever Commercial Style Kitchen Faucet

KPF-2630

Features:

- Brass Body w/ Metal Handle for Maximum Durability
- Easy DIY Top Mount Installation w/ Drop-In Base
- Single-Lever Design for Effortless Temperature & Flow Control
- Heavy-Duty Commercial-Style Spring Design
- Dual-Function Sprayer w/ Spray & Stream Button
- Spout Swivels 360° for Complete Sink Access
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)
- High Performance / Low Flow Neoperl Aerator
- w/ Easy-Clean Rubber Nozzles to Prevent Hard Water Build-Up
- Superior Corrosion & Rust-Resistant Finish
- Coordinates w/ the Mateo™ Bar/Prep Faucet


Dimensions:

Faucet Height: 20-11/16"	Flow Rate: 1.75gpm 6.6L/Min @ 60 Psi
Aerator Clearance: 8-7/8"	Faucet Hole Size Requirement: 1-3/8" – 1-1/2"
Handle Clearance: 1-1/2"	Number Of Holes Required: 1-3 (Optional Deck Plate)
Spout Reach: 9-1/4"	Maximum Deck Thickness w/ Deck Plate: 1"
Spout Swivel: 360°	Maximum Deck Thickness w/o Deck Plate: 1-1/2"

Codes/Standards:


cUPC (UPC&CSA), NSF 61, NSF 372, AB1953, EPA, CALGreen, MASS, FTC, DOE, CEC and ADA

Limited Lifetime Warranty



Mateo™ Single Lever Kitchen Bar / Prep Faucet

KPF-2600



Features:

- Brass Body w/ Metal Handle for Maximum Durability
- Easy DIY Top Mount Installation w/ Drop-In Base
- Single-Lever Design for Effortless Temperature & Flow Control
- Faucet Swivels 360° for Complete Sink Access
- High Performance / Low Flow Neoperl Aerator
- Kerox Ceramic Cartridge (tested w/ 500,000 cycles)
- Superior Corrosion & Rust-Resistant Finish
- Coordinates with All Bar Sinks & Mateo™ Series Kitchen Faucets

Dimensions:

Faucet Height: 12-1/4"	Flow Rate: 1.5gpm 5.7L/Min @ 60 Psi
Aerator Clearance: 7-3/8"	Faucet Hole Size Requirement: 1-3/8" – 1-1/2"
Handle Clearance: 1-1/2"	Number Of Holes Required: 1
Spout Reach: 5-1/2"	Maximum Deck Thickness: 1-1/2"
Spout Swivel: 360°	

Codes/Standards:

cUPC (UPC&CSA), NSF 61, NSF 372, AB1953, EPA, CALGreen, MASS, FTC, DOE, CEC and ADA

Limited Lifetime Warranty



Pax™ Zero Radius 18 1/2 Inch 18 Gauge Handmade Undermount Single Bowl Stainless Steel Bar or Prep Sink

KHU19

Features:

- Premium T-304 Stainless Steel Construction
- NoiseDefend™ Sound Dampening System w/ Undercoating:
Padded On All Sides For Superior Noise Reduction
- 95 Degree Angled Walls for Easy Cleaning
- Channel Grooves Engineered for Optimal Drainage
- Durable 18-Gauge Steel
- Scratch and Stain-Resistant Commercial-Grade Satin Finish
- Deep Basin w/ Zero-Radius Corners: Clean & Precise for a Modern Kitchen
- Contemporary Square 3.5" x 3.5" Rear Set Drain
- All Mounting Hardware Included
- Accessories Included w/ Purchase: Square Strainer, Towel

Dimensions:


Installation Type: Undermount	Sink Width: 18-1/2"
Sink Cutout Template: Included	Sink Depth: 10"
Minimum Cabinet Size: 24"	Drain Opening: 3.5" x 3.5"
Sink Gauge: 18	Drain Position: Rear
Sink Length: 18-1/2"	Number Of Faucet Holes: 0

Certifications:

Sink complies with ASME A112.19.3-2008 / CSA B45.4-08 / cUPC

These sinks are listed by the International Association of Plumbing and Mechanical Officials as meeting the requirements of the Uniform Plumbing Code.

Limited Lifetime Warranty



Pax™ Zero Radius 31 1/2 Inch 16 Gauge Handmade Undermount Single Bowl Stainless Steel Kitchen Sink

KHU32

Features:

Premium T-304 Stainless Steel Construction
NoiseDefend™ Sound Dampening System w/ Undercoating:
Padded On All Sides For Superior Noise Reduction
95 Degree Angled Walls for Easy Cleaning
Channel Grooves Engineered for Optimal Drainage
Durable 16-Gauge Steel for a Stronger Sink
Commercial-Grade Satin Finish is Scratch and Stain-Resistant
Deep Basin w/ Zero-Radius Corners: Clean & Precise for a Modern Kitchen
Contemporary Square 3.5" x 3.5" Rear Set Drain
All Mounting Hardware Included
Accessories Included w/ Purchase: SS Dish Grid, Square Strainer, Towel

Dimensions:

Installation Type: Undermount	Sink Width: 18-1/2"
Sink Cutout Template: Included	Sink Depth: 10"
Minimum Cabinet Size: 36"	Drain Opening: 3.5" x 3.5"
Sink Gauge: 16	Drain Position: Rear
Sink Length: 31-1/2"	Number Of Faucet Holes: 0



Certifications:

Sink complies with ASME A112.19.3-2008 / CSA B45.4-08 / cUPC
These sinks are listed by the International Association of Plumbing and Mechanical Officials as meeting the requirements of the Uniform Plumbing Code.

Limited Lifetime Warranty







Kräus®

1.800.775.0703
www.kraususa.com

© 2015 Kraus USA Inc. All rights reserved.