


MODEL	DESCRIPTION	LIST PRICE
-------	-------------	------------

**HousePure® Soft
Commercial Grade
Whole House
Water Softener**

Part # WI-HP-SOFT-4

Shipping Wt: 400 lbs.

\$6,676.95 Ea.



The HousePure Soft 4 is an excellent option for larger homes and businesses that require higher flow rate and/or more water softening capacity. With 96,000 grains per gallon capacity, this 4 cubic foot softener will handle the most demanding hard water applications.

The HP-Soft-4 has a 2" inlet and outlet, which can be bushed down to accept smaller pipe sizes if needed. The unit includes a 2900 series commercial, 24VDC controller and a 3200 2" metered valve.

Includes Installation Parts and Install/Owner's Manual*

Flow Rate: 50 GPM

Dimensions (Including Salt Tank): Width: 42" Height: 80" Depth: 40"

Filter Capacity: 96,000 grains of hardness

Media Volume: 4-cubic feet, high capacity cation resin

Salt Tank Size: 750 lbs. (Can be used with either potassium or sodium salt)

Operating Temperature Range: 34°F to 110°F (Not appropriate for freezing temperatures.)

Pipe Size: Inlet- 2", Outlet- 2", Drain- 1"

Water Pressure Range: 20 PSI to 75 PSI

Water Quality: Not for use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

Operating Voltage: 24 VAC, 50/60 Hz, 120 VAC transformer included.

Component Tested to NSF/ANSI Standard 42 for material requirements.



Meets no lead standards for CA AB 1953 and VT Act 193.

The installation of a reverse osmosis drinking water system is recommended for persons with heart disease, hypertension, high blood pressure or a low sodium diet. See pages 14 & 27 for reverse osmosis systems.



MAXIMUM recommended line pressure for this product is 75 PSI. Pressure above 75 PSI indicates the absence of a properly functioning water pressure regulator at the property. Excessive water pressure poses a risk of property damage to you. Problems due to excessive water pressure are NOT covered by this product's warranty. **BEFORE** installation of any Water, Inc. product, confirm that water supply pressure does not exceed 75 PSI. Questions? Contact Water, Inc. Service Depart. at 800.322.WATER(9283)